








SERIE LENACROM BW



SERIE LENACROM BW

		Dry content (%)	DILUTION			FASTNESS	
			Water	Polar solvents	Acetone	Peroxide	Light*
Lemon Yellow BW-99		9 +/- 1	good	good	good	good	5-6
Yellow BW-51		25 +/- 3	good	good	good	good	6-7
Orange BW-37		22 +/- 3	good	good	good	good	6
Red BW-11		32 +/- 3	good	good	good	low	6-7
Bordeaux BW-51		25 +/- 3	good	good	good	low	6
Blue BW-26		28 +/- 3	good	good	low**	low	7
Brown BW-96		30 +/- 3	good	good	good	good	6
Black BW-28		22 +/- 3	good	good	low**	low	6-7

* Blue scale in wool

** Good if prediluted 1:1 with PM.

Lenacrom BW dyes are selected metal complex dyes in high concentrated solutions especially developed for **water based systems**.

Usage: **Lenacrom BW** dyes are dilutable with water, polar solvents, acetone, and suitable for spray tinting of wood: frames, decorations and furniture components, both with manual airbrushes and automatic sprayer machines.

Due to their compatibility with a wide range of resins they are also suitable for usage in inks, finishing of leather, and finishing of several supports like plastic, glass, and others.

Properties

High dye content

Good lightfastness

Excellent transparency

Unlimited miscibility

Good compatibility with a wide range of solvents, diluents and resins

Good storage stability

Easy and reliable application

Lenacrom BW dyes are not flammable and not dangerous for transport, reducing risks of manipulation and costs of transport and storage.

Packaging: 25 kgs plastic tanks. Other packaging available on request.

Storage: If stored at temperature between 5°C and 40°C in their original packaging and if tightly sealed, the shelf life of **Lenacrom BW dyes** is at least 9 months. Anyway products must be protected from frost and as much as possible from high temperature. Each time dye is taken out for application, containers must be tightly resealed, and the remaining content must be used as soon as possible.

All informations are based on the current state of our knowledge and on the results of our tests, but they are given without guarantee. The Buyer remains responsible for verifying that the products are suitable for his intended process or purpose. Tests before the industrial use of the product are recommended.

Edition: june 2006



cromatos s.r.l.

COLORANTI, PIGMENTI E PRODOTTI CHIMICI PER L'INDUSTRIA
INDUSTRIAL DYESTUFFS, PIGMENTS AND CHEMICAL PRODUCTS

cromatos s.r.l. cromatos s.r.l. cromatos s.r.l. c

s.r.l. cromatos s.r.l. cromatos s.r.l. cromatos s.r.l.

CROMATOS s.r.l. Via E. Barsanti, 28 47100 Forlì Italy - Tel. ++39 0543 796191 Fax ++39 0543 796189
<http://www.cromatos.com> • e-mail: info@cromatos.com

atos s.r.l. cromatos s.r.l. cromatos s.r.l. cromatos s.r.l.